EN



STALICO®

MOBILE LIGHT & CAMERA TOWERS

WWW.STALICO.COM

STALICO® POWERLIGHT

GREAT LIGHTING, EASY SETUP AND MAXIMUM SAFETY

Equipped with an internal fuel-efficient diesel generator and hydraulic telescopic mast, suitable for all terrains.

SPECIFICATIONS

- high-performance internal diesel generator
- hydraulic telescopic mast > automatic start
- 4 powerful 350 W LED LIGHTS with spherical lenses
- connectable with our STALICO® standard light mast
- powered by Atlas Copco
- extendable up to 8.5 m
- illuminated area up to 5000 m² at 20 lux
- automatic digital timer / light sensor



STALICO® COUPLING MAST

Can be used in a series to connect multiple masts. Very convenient to use and easy to move quickly.

SPECIFICATIONS

- installation and set-up by 1 person
- connectable in a series
- suitable for LED lamps, cameras or ATEX lamps
- expandable with 2 batteries for temporary autonomy
- extendable up to 6 m
- rock-solid steel construction
- extra stability through extendable adjustable feet



STALICO® MILITARY LIGHTING

For the military, these 8.5m STALICO® light masts are fully camouflaged by a double durable RAL coating.

SPECIFICATIONS

- connectable to 230V 16A CEE
- mechanical telescopic extension mast
- dimensions closed: W 120 x D 120 x H 253
- super safe in installation and use
- no extra ballast required
- installation and set-up by 1 person
- suitable for any surface
- stable with 4 extendable supports with adjustable foot
- pleasant and sufficient light distribution
- stackable per 2 pieces



STALICO®
MOBILE LIGHT & CAMERA TOWERS

STALICO®
CAMERA BOX

Suitable for temporary and mobile camera surveillance. The most versatile camera configurations possible.

SPECIFICATIONS

- installation and set-up by 1 person
- extendable to 6.9 m
- customisable
- expandable with batteries for temporary autonomy
- dimensions closed: W 120 x D 120 x H 253
- anti-theft and vandal-proof



STALICO®
COMPACT BOX

Suitable for temporary and mobile terrain monitoring.

SPECIFICATIONS

- installation and set-up by 1 person
- extendable to 5.5 m
- customisable
- expandable with batteries for temporary autonomy
- unlike the STALICO® Camera Box, the Compact Box does not have stabilising legs
- anti-theft and vandal-proof

MONITORING CAMERA WITH SOFTWARE



STALICO®
TRANSPORTER

Transport your camera and light masts to any terrain, behind a passenger car or light-duty truck.

SPECIFICATIONS

- trailer dimensions: 295 x 195 cm
- max. permissible weight 1350 kg (BE driving license)
- hydraulic lifting forks



STALICO® ATEX LIGHTING

The most robust ATEX lighting.



SPECIFICATIONS

- connectable to 230V ATEX CEE
- mechanical telescopic extension mast
- dimensions closed:
  W 120 x D 120 x H 253
- super safe in installation and use
- no extra ballast required
- installation and set-up by 1 person
- suitable for any surface
- stable with 4 extendable supports with adjustable foot
- pleasant and sufficient light distribution
- constructed of hot-dip galvanized steel
- stackable per 2 pieces

STALICO® RENTAL LIGHT

Compact version of a light tower.
Due to a heavy ballast, support legs are not necessary.

SPECIFICATIONS

- connectable to 230V CEE
- mechanical telescopic extension mast
- dimensions closed:
  W 100 x D 100 x H 220
- super safe in installation and use
- no extra ballast necessary
- installation and set-up by 1 person
- suitable for any surface
- pleasant and sufficient light distribution
- constructed of hot-dip galvanized steel
- stackable per 2 pieces



GR ACCUPACK
ENERGY STORAGE

Separate and portable energy storage.

SPECIFICATIONS

- noiseless and 0% emission when in use
- equipped with 8 x 200 Ah AGM 12 V
- 19200 W / 11500 W
- average consumption when charging battery pack:
  1680 Watt
- weight: 560 kg
- dimensions:
  125 x 65 x 95 cm
- contacts: CEE



GR COMPACT HYBRID
ENERGY STORAGE

Hybrid power unit for light and camera masts.

SPECIFICATIONS

- lower fuel costs, noise, and emissions
- equipped with a Kubota engine 3.2 Kw
  1500 rpm water-cooled
- 19200 W / 11500 W
- Motor: Kubota
  Z482 3.2 Kw
  1500 rpm
  water-cooled
- battery pack:
  8 x 200 Ah 12 V
- weight: 1184 kg
- dimensions:
  191 x 66 x 130 cm



STALICO®
GREEN POWER & ENERGY STORAGE

STALICO® STANDARD LIGHTING TOWER


STANDARD 8.5 M

Our standard STALICO® light mast is the most versatile in the range. The mast can be installed without extra ballast, which saves on significant time and personnel costs. The rock-solid mast, made from hot-dipped galvanised steel is time and weather-resistant. The STALICO® is equipped with powerful 150 W LED MATRIX lamps as standard. The mast is also available without lamps. 6 light masts linked together can be connected to 1 power point.


SPECIFICATIONS

- connectable to 230 V mains or generator
- connectable up to 6 units
- Mechanical telescopic mast
- dimensions closed: W 120 x D 120 x H 253
- super safe in installation and use
- no additional ballast required
- easy to set up by 1 person
- suitable for any surface
- stable with 4 extendable supports and adjustable feet
- pleasant and sufficient light distribution
- made from hot-dipped galvanised steel
- stackable per 2 units
- vandalism and theft-proof.

SAFEST LIGHT MAST



4x 150 W MATRIX LED 96000 LUMEN
LIGHTING AREA 3000 M2 (10 LUX ON AVERAGE)



STALICO®
MOBILE LIGHT & CAMERA TOWERS



STALICO®

MOBILE LIGHT & CAMERA TOWERS

BELGIAN QUALITY

SINCE 2005

POWERED BY GR TECHNICS

Beemdenstraat 38 | 2340 Beerse

+32 (0)14 61 99 75 | info@gr-technics.be | www.gr-technics.be